


# Hall Pass Wall Shelf With Hooks



DESIGNED IN 2020

ASSEMBLY NOTES | REV 00



NEED A HAND?

Contact us at [service@bludot.com](mailto:service@bludot.com) or  
**844.425.8368** for assistance.

@BLUDOT

We design all our pieces in our Minneapolis studio. Follow  
along on Instagram for some sneak peeks into the process.

# Parts & Hardware



QTY

2


Pt. 8052



QTY

2


Pt. 1226



QTY

2


Threaded Standoff



QTY

2

Cap



QTY

1

Wall Shelf With Hooks

# Step 01


## MARK MOUNTING LOCATION

We recommend having a second person assist with product assembly.

Wall anchors and fasteners are included for installation. Please consult your local hardware professional to determine the hardware best suited for your wall type.

Position the wall shelf in the desired location and use a leveling device to ensure that the shelf is horizontal. Mark the mounting locations as shown.

If the mounting location is not positioned on a stud, drill a **5/16"** hole in the marked location and insert wall anchor. If the mounting location is located on a stud, this step of installin an anchor may be skipped. Instead, drill a **1/8"** pilot hole in the marked position.




Pt. 8052 x 2\*

## Step 02

### ATTACH SHELF TO WALL

Align shelf with the mounting locations from the previous step. Ensure that the threaded standoff is located in the correct orientation and location as shown. Use the provided hardware to secure the shelf to the wall. Complete assembly by threading the cap onto the threaded standoff as shown.



## Additional Information

### CLEAN

Clean with a slightly damp, soft cloth. To remove dirt and fingerprints, use a quality cleaner formulated for painted metal furniture. Wipe completely dry with a soft cloth.

